Innov8

Frameless Collection

The Innov8 Range encapsulates industrial chic with an elegant twist.

Innov8 Enclosures lead the way in minimal, inclusive and stylish design trends - presenting a refined collection.

Innov8's outstanding differential is the low threshold (reduced height of bottom rail), allowing level entry access into the Shower Enclosure.



FastFix
SYSTEM

SECONDS

PRE-ASSEMBLED

3
THREE STEP

FastFix Assembly

now included on all Roman Sliding Door Enclosures

The FastFix Assembly system is designed so that the final mainframe installation is a 'slot and tighten' exercise, which can be done literally in seconds. Consequently, the main profiles effortlessly link together as the structure is assembled onsite. As much of the process as possible is now pre-assembled in the Roman factory to ensure that the final installation in the bathroom is simple, quick and easy.



Sliding Door

Features & Benefits

- Chromed brass machined components
- Chromed brass feature handle
- Crystal clear PVC seals
- 20mm of adjustment in each profile
- Fast Fix Assembly
- Compatible trays available

Technical Information

Glass Thickness: 8mm

Total Height: 1950mm

Handing: Reversible

1500 x 800 Corner Fitting - Brushed Brass
Sliding Door and Side Panel: N2T1513BBR and N2GL813BBR
1500 x 800 Anti Slip Tray: RSTG158

1500 x 800 Corner Fitting - Polished Chrome
Sliding Door and Side Panel: N2T1513S and N2GL813S
1500 x 800 Anti Slip Tray: RSTG158 Shower Basket: RSB03

Corner Fitting

Size (mm)	Adjustment Door (mm)	Adjustment Side Panel (mm)	Door Code	Side Panel Code
1200 x 800	1150 - 1190	755 - 775	N2T1213	N2GL813
1200 x 900	1150 - 1190	855 - 875	N2T1213	N2GL913
1400 x 800	1350 - 1390	755 - 775	N2T1413	N2GL813
1400 x 900	1350 - 1390	855 - 875	N2T1413	N2GL913
1500 x 800	1450 - 1490	755 - 775	N2T1513	N2GL813
1500 x 900	1450 - 1490	855 - 875	N2T1513	N2GL913
1700 x 800	1650 - 1690	755 - 775	N2T1713	N2GL813
1700 x 900	1650 - 1690	855 - 875	N2T1713	N2GL913

Alcove Fitting

Size (mm)	Adjustment (mm)	Door Code
1200	1150 - 1190	N2T1213
1400	1350 - 1390	N2T1413
1500	1450 - 1490	N2T1513
1700	1650 - 1690	N2T1713

Extension Profile

Description	Height (mm)	Adds Extra (mm)	Code
Extension Profile	1950	35	VZEX2*

***Please note**: Only used for Polished Chrome and Matt Black.

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

Brushed Brass
add BBR to Codes

FastFix SYSTEM

900 x 1200 Quadrant - Brushed Brass
Quadrant Door: N2SQ91213BBR
Anti-Slip Quadrant Tray: RSQG129R
Shower Basket: RSB02BR

x 900 Quadrant - Polished Chrome
Quadrant Door: N2SQ913S
Anti-Slip Quadrant Tray: RSQG90
Shower Basket: RSB07

Curved Quadrant

Features & Benefits

- Chromed brass machined components
- Chromed brass feature handle
- Crystal clear PVC seals
- 20mm of adjustment in each profile
- Fast Fix Assembly
- Compatible trays available

Technical Information

Glass Thickness: 8mm

Total Height: 1950mm

Handing: Reversible

Size (mm)	Adjustment (mm)	Code
900 x 900	855 - 875	N2SQ913
800 x 900	755 - 775 & 855 - 875	N2SQ8913
800 x 1000	755 - 775 & 955 - 975	N2SQ81013
800 x 1200	755 - 775 & 1155 - 1175	N2SQ81213
900 x 1200	855 - 875 & 1155 - 1175	N2SQ91213

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

Brushed Brass
add BBR to Codes

FastFix SYSTEM



1200 Alcove Fitting - Brushed Brass
Hinged Door and In-Line Panel:
NL2HD13BBR and NL2H1213BBR
Infinity Slate Tray: IGS128W
Shower Basket: RSB04

Hinged Door *with In-line Panel*

Corner Fitting

Size (mm)	Adjustment (mm) Door and In-Line Panel	Adjustment Side Panel (mm)	Door Code	In-line Panel Code	Side Panel Code
1000 x 800	955 - 975	755 - 775	NL2HDR13	NL2HR1013	N2R813
1000 x 900	955 - 975	855 - 875	NL2HDR13	NL2HR1013	N2R913
1200 x 800	1155 - 1175	755 - 775	NL2HDR13	NL2HR1213	N2R813
1200 x 900	1155 - 1175	855 - 875	NL2HDR13	NL2HR1213	N2R913

Alcove Fitting

Size (mm)	Adjustment (mm)	Door Code	In-line Panel Code
1000	950 - 990	NL2HD13	NL2H1013
1200	1150 - 1190	NL2HD13	NL2H1213

Features & Benefits

- Chromed brass machined components
- Chromed brass feature handle
- Crystal clear PVC seals
- 20mm of adjustment in each profile
- No top rail
- Side Panels supplied with optional bracing
- Compatible trays available

Technical Information

Glass Thickness: 8mm

Total Height: 1950mm

Handing: Reversible

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

Brushed Brass
add BBR to Codes

HINGED

1000 x 800 Corner Fitting - Matt Black
Hinged Door: NL2HDR13B, In-Line Panel: NL2HR1013B, Side Panel: N2R813B
Infinity Slate Tray: IGS108B
Shower Basket: RSB02B

1200 Alcove Fitting - Matt Black
Hinged Door: NLHD13B, In-Line Panel: NLH1213B
Anti-Slip Tray: RSTG128
Shower Basket: RSB05B

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

Brushed Brass
add BBR to Codes

Please note:
Lead time of 3-4 weeks.

Hinged Door *with Two In-line Panels*

Features & Benefits

- Chromed brass machined components
- Chromed brass feature handle
- Crystal clear PVC seals
- 20mm of adjustment in each profile
- No top rail
- Side Panels supplied with optional bracing
- Compatible trays available

Technical Information

Glass Thickness: 8mm

Total Height: 1950mm

Handing: Reversible

Corner Fitting

Size (mm)	Adjustment (mm) Door and In-Line Panel	Adjustment Side Panel (mm)	Door Code	In-line Panel Code	Side Panel Code
1200 x 800	1155 - 1175	755 - 775	NLHDR13	NLHR1213	N3R813
1200 x 900	1155 - 1175	855 - 875	NLHDR13	NLHR1213	N3R913
1400 x 800	1355 - 1375	755 - 775	NLHDR13	NLHR1413	N3R813
1400 x 900	1355 - 1375	855 - 875	NLHDR13	NLHR1413	N3R913
1600 x 800	1555 - 1575	755 - 775	NLHDR13	NLHR1613	N3R813
1600 x 900	1555 - 1575	855 - 775	NLHDR13	NLHR1613	N3R913

Alcove Fitting

Size (mm)	Adjustment (mm)	Door Code	In-line Panel Code
1200	1150 - 1190	NLHD13	NLH1213
1400	1350 - 1390	NLHD13	NLH1413
1600	1550 - 1590	NLHD13	NLH1613

1600 x 800 Corner Fitting - Brushed Brass
Hinged Door: NLHDR13BBR, In-Line Panel: NLHR1613BBR
Side Panel: N3R813BBR
Anti-Slip Tray: RSTG168

900 x 900 Corner Fitting - Polished Chrome
Pivot Door: N2F913CS, Side Panel: N2R913S
Anti-Slip Tray: RSTG90
Shower Basket: RSB07

Pivot Door

Features & Benefits

- Chromed brass machined components
- Chromed brass feature handle
- No top rail
- Full length pivoting tube
- Side Panels supplied with optional bracing
- Compatible trays available
- Crystal clear PVC seals

Technical Information

Glass Thickness: 8mm

Total Height: 1967mm

Handing: Reversible

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

900 Alcove Fitting - Matt Black
Pivot Door: N2F913B Anti-Slip Tray: RSGT90
Shower Basket: RSB02, Black Grid Mirror MIR02

Corner Fitting

Description	Size (mm)	Adjustment (mm)	Code
Door	760	715 - 735	N2F7613C
Door	800	755 - 775	N2F813C
Door	900	855 - 875	N2F913C
Side Panel	760	715 - 735	N2R7613
Side Panel	800	755 - 775	N2R813
Side Panel	900	855 - 875	N2R913

Alcove Fitting

Size (mm)	Adjustment (mm)	Code
760	710 - 750	N2F7613
800	750 - 790	N2F813
900	850 - 890	N2F913

1200 x 900 Corner Fitting - Matt Black
1200 Door, In-Line Panel and Side Panel:
N2F1HDR13B, N2HR1213B and N2HR913B
Anti-Slip Tray: RSTG129, Shower Basket: RSB02
Arched Black Grid Mirror: MIR02

1200 Alcove Fitting - Polished Chrome
Pivot Door and Inline Panel:
N2F1HD13S and N2H1213S
Anti Slip Tray: RSTG129, Shower Basket: RSB02

Pivot Door *with In-line Panel*

Features & Benefits

- Polished Chrome or Matt Black frame
- Chromed brass machined components
- Chromed brass feature handle
- 20mm of adjustment in each profile
- No top rail
- Full length pivoting tube
- In-Line Panels supplied with optional bracing
- Rubber handle stopper included for inward opening doors
- Compatible trays available
- Crystal clear PVC seals

Technical Information

Glass Thickness: 8mm

Total Height: 1967mm

Handing: Reversible

Corner Fitting

Size (mm)	Adjustment (mm) Door and In-Line Panel	Adjustment Side Panel (mm)	Door Code	In-line Panel Code	Side Panel Code
1000 x 800	955 - 975	755 - 775	N2F1HDR13	N2HR1013	N2HR813
1000 x 900	955 - 975	855 - 875	N2F1HDR13	N2HR1013	N2HR913
1200 x 800	1155 - 1175	755 - 775	N2F1HDR13	N2HR1213	N2HR813
1200 x 900	1155 - 1175	855 - 875	N2F1HDR13	N2HR1213	N2HR913
1400 x 800	1355 - 1375	755 - 775	N2F2HDR13	N2HR1413	N2HR813
1400 x 900	1355 - 1375	855 - 875	N2F2HDR13	N2HR1413	N2HR913
1500 x 800	1455 - 1475	755 - 775	N2F2HDR13	N2HR1513	N2HR813
1500 x 900	1455 - 1475	855 - 875	N2F2HDR13	N2HR1513	N2HR913

Alcove Fitting

Size (mm)	Adjustment (mm)	Door Code	In-line Panel Code
1000	950 - 990	N2F1HD13	N2H1013
1200	1150 - 1190	N2F1HD13	N2H1213
1400	1350 - 1390	N2F2HD13	N2H1413
1500	1450 - 1490	N2F2HD13	N2H1513

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

900 Alcove Fitting - Matt Black
Bi-Fold Door: N3V913B
Anti-Slip Tray: RSTG90

Bi-Fold Door *Framed*

Features & Benefits

- Chromed brass hinges
- Chromed top caps
- Compatible trays available
- Crystal clear PVC seals
- Minimum top and bottom rails

Technical Information

Glass Thickness: 6mm

Total Height: 1950mm

Handing: Reversible

Description	Size (mm)	Adjustment (mm)	Code
Bi-Fold Door	760	710-750	N3V7613
Bi-Fold Door	800	750-790	N3V813
Bi-Fold Door	900	850-890	N3V913
Bi-Fold Door	1000	950-990	N3V1013
Bi-Fold Door	1200	1150-1190	N3V1213
Side Panel	800	755-775	N2GL813
Side Panel	900	855-875	N2GL913

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

FullyAssembled Easy to Install

900 x 900 Corner Fitting - Polished Chrome
Bi-Fold Door: N2V913CS, Side Panel: N2R913S
Anti-Slip Tray: RSTG90

Bi-Fold Door *Frameless*

Features & Benefits

- Inward opening doors with 180° pivoting action
- Chromed brass hinges
- Chromed top caps
- No top rail
- Elimination of the bottom rail creating level access entry
- Compatible trays available
- Crystal clear PVC seals

Technical Information

Glass Thickness: 8mm

Total Height: 1967mm

Handing: Reversible

Corner Fitting

Description	Size (mm)	Adjustment (mm)	Code
Bi-Fold Door	760	715 - 735	N2V7613C
Bi-Fold Door	800	755 - 775	N2V813C
Bi-Fold Door	900	855 - 875	N2V913C
Bi-Fold Door	1000	955 - 975	N2V1013C
Side Panel*	760	715 - 735	N2R7613
Side Panel*	800	755 - 775	N2R813
Side Panel*	900	855 - 875	N2R913
Side Panel*	1000	955 - 975	N2R1013

* Side Panel supplied with optional brace bar

Alcove Fitting

Description	Size (mm)	Adjustment (mm)	Code
Bi-Fold Door	760	710 - 750	N2V7613
Bi-Fold Door	800	750 - 790	N2V813
Bi-Fold Door	900	850 - 890	N2V913
Bi-Fold Door	1000	950 - 990	N2V1013

Colour options for hardware

Polished Chrome
add S to Codes

Matt Black
add B to Codes

1700 Walk-in Shower Enclosure - Polished Chrome
Curved Pannel: V8C13S
Innov8 Walk-in Dedicated Shower Tray: RCG177R
Shower Basket: RSB06

Walk-in Shower Enclosure

Bath replacement

Features & Benefits

- Bath replacement Enclosure
- Occupies the same wall dimensions as a standard UK bath
- Its curvaceous nature bows out to create a spacious and indulgent showering space
- Effortless showering with doors eliminated and sweeping level access
- It imitates a wetroom in its styling, whilst providing a more enclosed showering area
- It has a dedicated shower tray, which is approved for anti-slip properties

Technical Information

Glass Thickness: 8mm

Total Height: 1950mm

Handing: Reversible

Description	Fixed Panel (mm)	Adjustment (mm)	Code
Curved Panel	1202	25	V8C13S
Curved Panel + 1 Side Panel	1202	25	V8CG13S
Curved Panel + Return Panel	1202	25	V8CGM13S
Curved Panel + 2 Side Panels	1202	25	V8CGR13S

Walk-in Shower Tray

Features & Benefits

- Ultra low profile
- 50mm nominal height
- Solid surface with gel coat finish
- Includes chrome grid waste and fast flow trap
- Suitable for use with power shower systems rated up to 25 litres per minute

Width (mm)	Depth (mm)	Height (mm)	Handing	Code
1700	700	50	Left Hand	RCG177L
1700	700	50	Right Hand	RCG177R



Right Hand

Colour options for hardware

Polished Chrome

Tray Colour Finish

White

EasyClean

Anti-Slip DIN Class C